CYCO™ PLATINUM SERIES

www.cycoflower.com

ADVANCED FEED CHART FOR HYDROPONICS USE

FOR GROWING IN MEDIUMS SUCH AS: CYCO COIR / LITE / PEARL / BITZ

Important note:
Weekly totals have been calculated using reverse osmosis water and consumers should take into consideration the quality of their local water supply before adding nutrients or additives as S.J. Enterprises holds no responsibility for user error.

CYCO™ PLATINUM SERIES — S.J ENTERPRISES — 100% PHARMACEUTICAL GRADE INGREDIENTS

GROWTH FEEDCHART

METRIC

ML Per Litre	WEEK 1	FLUSH WITH KLEANSE	WEEK 2	FLUSH WITH KLEANSE	WEEK 3	FLUSH WITH KLEANSE	WEEK 4	FLUSH WITH KLEANSE	WEEK 5	FLUSH WITH KLEANSE	WEEK 6	FINAL FLUSH WITH KLEANSE BEFORE HARVEST
GROW A & B	2ml of each		2ml of each		3ml of each		3ml of each		3ml of each		3ml of each	
B1 BOOST	2ml		2ml		2ml		2ml		2ml		2ml	
UPTAKE	1ml		1ml		1ml		1ml		1ml		1ml	
ZYME	2ml		2ml		2ml		2ml		2ml		2ml	
SILICA	1ml		1ml		1ml		1ml		1ml		1ml	
RYZOFUEL	1ml		1ml		1ml		1ml		1ml		1ml	
GROW XL					0.5ml							
T.D.S (P.P.M)	1150		1150		1450		1450		1450		1450	
E.C.	1.6		1.6		2.1		2.1		2.1		2.1	
PH	6		6		5.5		5.5 - 5.8		5.5 - 5.8		5.5 - 5.8	

BASE NUTRIENT

REDUCTION OF BASE NUTRIENT FOR POOR WATER

PPM	REDUCE
800	1.5ML
600	1ML
400	0.5ML
0 < 200	STANDARD

FEED CHARTS ARE BASED ON ML PER LTR AND 0-200PPM WATER QUALITY

BLOOM FEEDCHART

ML Per Litre	WEEK 1	FLUSH WITH KLEANSE	WEEK 2	FLUSH WITH KLEANSE	WEEK 3	FLUSH WITH KLEANSE	WEEK 4	FLUSH WITH KLEANSE	WEEK 5	FLUSH WITH KLEANSE	WEEK 6	FLUSH WITH KLEANSE	WEEK 7	FLUSH WITH KLEANSE	WEEK 8	FINAL FLUSH WITH KLEANSE BEFORE HARVEST
BLOOM A & B	3ml of each		3ml of each		3ml of each		3ml of each		3ml of each		3ml of each		3ml of each		3ml of each	
B1 BOOST	2ml		2ml		2ml		2ml		2ml		2ml		2ml		2ml	
UPTAKE	1ml		1ml		1ml		1ml		1ml		1ml		1ml		1ml	
ZYME	2ml		2ml		2ml		2ml		2ml		2ml		2ml		2ml	
SILICA	1ml		1ml		1ml		1ml		2ml		2ml		2ml		2ml	
POTASH plus	1ml		1ml		1ml		1ml									
SUPA STIKY									2ml		2ml		2ml		2ml	
SWELL									2.5ml		2.5ml		2.5ml		2.5ml	
SUGA RUSH	1ml		1ml		1ml		1ml		1ml		1ml		1ml		1ml	
T.D.S (P.P.M)	1450		1450		1450		1450		1650		1650		1650		1650	
E.C.	2.1		2.1		2.1		2.1		2.3		2.3		2.3		2.3	
PH	5.5 - 5.8		5.5 - 5.8		5.5 - 5.8		5.5 - 5.8		5.5 - 5.8		5.5 - 5.8		5.5 - 5.8		5.5 - 5.8	

BASE NUTRIENT

DR REPAIR	TO BE USED THRU ALL CYCLE 1ml per Ltr
GROW XL	GROW XL WILL SIGNIFICANTLY INCREASE PPM AND LOWER pH (PLEASE MONITOR YOUR pH)

signature series